

The Standards of Practice and Code of Ethics of the American Society of Home Inspectors®



Standards of Practice. Effective January 1, 2000. © Copyright 2000 American Society of Home Inspectors, Inc.® All rights reserved.

Table of Contents

	Page
Standards of Practice	3
Section Description	
1 Introduction	3
2 Purpose and Scope	3
3 Structural System	3
4 Exterior	3
5 Roof System	4
6 Plumbing System	4
7 Electrical System	4
8 Heating System	5
9 Air Conditioning Systems	5
10 Interior	5
11 Insulation and Ventilation	5
12 Fireplaces and Solid Fuel Burning Appliances	5
13 General Limitations and Exclusions	5
Glossary	7
Code of Ethics	8

Distribution of this material is not an indication of ASHI® Membership. For a free listing of the Membership go to "Find an Inspector" at www.ashi.com.

To obtain additional copies or request permission to reprint The ASHI® Standards of Practice and Code of Ethics, contact:

The American Society of Home Inspectors, Inc.[®]
932 Lee Street, Suite 101
Des Plaines, IL 60016
800-743-ASHI/2744

No parts of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopy, recording or otherwise, without the prior written consent of the publisher.

Home Inspection

Home inspections were being performed in the mid 1950s, and by the early 1970s were considered by many consumers to be essential to the real estate transaction. The escalating demand was due to a growing desire by homebuyers to learn about the condition of a house prior to purchase. Meeting the expectations of consumers required a unique discipline, distinct from construction, engineering, architecture, or municipal building inspection. As such, home inspection requires its own set of professional guidelines and qualifications. The American Society of Home Inspectors (ASHI) formed in 1976 and established the ASHI Standards of Practice and Code of Ethics to help buyers and sellers make real estate transaction decisions based on accurate, objective information.

American Society of Home Inspectors

As the oldest, largest and highest profile organization of home inspectors in North America, ASHI takes pride in its position of leadership. Its Membership works to build public awareness of home inspection and to enhance the technical and ethical performance of home inspectors.

Standards of Practice

The ASHI Standards of Practice guide home inspectors in the performance of their inspections. Subject to regular review, the Standards of Practice reflect information gained through surveys of conditions in the field and of the consumers' interests and concerns. Vigilance has elevated ASHI's Standards of Practice so that today they are the most widely-accepted home inspection guidelines in use and are recognized by many government and professional groups as the definitive standard for professional performance.

Code of Ethics

ASHI's Code of Ethics stresses the home inspector's responsibility to report the results of the inspection in a strictly fair, impartial, and professional manner, avoiding conflicts of interest.

ASHI Membership

Selecting the right home inspector can be as important as finding the right home. ASHI Members have performed no fewer than 250 fee-paid inspections in accordance with the ASHI Standards of Practice. They have passed written examinations testing their knowledge of residential construction, defect recognition, inspection techniques, and report-writing, as well as ASHI's Standards of Practice and Code of Ethics. Membership in the American Society of Home Inspectors is well-earned and maintained only through meeting requirements for continuing education.

Find local ASHI Members by calling 1-800-743-2744 or visiting the ASHI Web site at www.ashi.com

Standards of Practice

1. INTRODUCTION

1.1 The American Society of Home Inspectors (ASHI) is a not-for-profit professional society established in 1976. Membership in ASHI is voluntary and its members include private, fee-paid home *inspectors*. ASHI's objectives include promotion of excellence within the profession and continual improvement of its members' inspection services to the public.

2. PURPOSE AND SCOPE

2.1 The purpose of these Standards of Practice is to establish a minimum and uniform standard for private, fee-paid home *inspectors* who are members of the American Society of Home Inspectors. *Home Inspections* performed to these Standards of Practice are intended to provide the client with information regarding the condition of the *systems* and *components* of the home as *inspected* at the time of the *Home Inspection*.

2.2 The *inspector* shall:

A. *inspect*:

1. *readily accessible systems and components* of homes listed in these Standards of Practice.
2. *installed systems and components* of homes listed in these Standards of Practice.

B. *report*:

1. on those *systems and components inspected* which, in the professional opinion of the *inspector*, are *significantly deficient* or are near the end of their service lives.
2. a reason why, if not self-evident, the *system or component* is *significantly deficient* or near the end of its service life.
3. the *inspector's* recommendations to correct or monitor the *reported* deficiency.
4. on any *systems and components* designated for inspection in these Standards of Practice which were present at the time of the *Home Inspection* but were not *inspected* and a reason they were not *inspected*.

2.3 These Standards of Practice are not intended to limit *inspectors* from:

A. including other inspection services, *systems* or *components* in addition to those required by these Standards of Practice.

B. specifying repairs, provided the *inspector* is appropriately qualified and willing to do so.

C. excluding *systems and components* from the inspection if requested by the client.

3. STRUCTURAL SYSTEM

3.1 The *inspector* shall:

A. *inspect*:

1. the *structural components* including foundation and framing.
2. by probing a *representative number of structural components* where deterioration is suspected or where clear indications of possible deterioration exist. Probing is NOT required when probing would damage any finished surface or where no deterioration is visible.

B. *describe*:

1. the foundation and *report* the methods used to *inspect* the *under-floor crawl space*.
2. the floor structure.
3. the wall structure.
4. the ceiling structure.
5. the roof structure and *report* the methods used to *inspect* the attic.

3.2 The *inspector* is NOT required to:

- A. provide any *engineering service or architectural service*.
- B. offer an opinion as to the adequacy of any *structural system or component*.

4. EXTERIOR

4.1 The *inspector* shall:

A. *inspect*:

1. the exterior wall covering, flashing and trim.
2. all exterior doors.
3. attached decks, balconies, stoops, steps, porches, and their associated railings.
4. the eaves, soffits, and fascias where accessible from the ground level.
5. the vegetation, grading, surface drainage, and retaining walls on the property when any of these are likely to adversely affect the building.
6. walkways, patios, and driveways leading to dwelling entrances.

B. *describe* the exterior wall covering.

EXTERIOR 4.2, continued

4.2 The *inspector* is NOT required to:

A. *inspect*:

1. screening, shutters, awnings, and similar seasonal accessories.
2. fences.
3. geological, geotechnical or hydrological conditions.
4. *recreational facilities*.
5. outbuildings.
6. seawalls, break-walls, and docks.
7. erosion control and earth stabilization measures.

5. ROOF SYSTEM

5.1 The *inspector* shall:

A. *inspect*:

1. the roof covering.
2. the *roof drainage systems*.
3. the flashings.
4. the skylights, chimneys, and roof penetrations.

B. *describe* the roof covering and *report* the methods used to *inspect* the roof.

5.2 The *inspector* is NOT required to:

A. *inspect*:

1. antennae.
2. interiors of flues or chimneys which are not *readily accessible*.
3. other *installed* accessories.

6. PLUMBING SYSTEM

6.1 The *inspector* shall:

A. *inspect*:

1. the interior water supply and distribution *systems* including all fixtures and faucets.
2. the drain, waste and vent *systems* including all fixtures.
3. the water heating equipment.
4. the vent *systems*, flues, and chimneys.
5. the fuel storage and fuel distribution *systems*.
6. the drainage sumps, sump pumps, and related piping.

B. *describe*:

1. the water supply, drain, waste, and vent piping materials.
2. the water heating equipment including the energy source.
3. the location of main water and main fuel shut-off valves.

6.2 The *inspector* is NOT required to:

A. *inspect*:

1. the clothes washing machine connections.
2. the interiors of flues or chimneys which are not *readily accessible*.
3. wells, well pumps, or water storage related equipment.
4. water conditioning *systems*.
5. solar water heating *systems*.
6. fire and lawn sprinkler *systems*.
7. private waste disposal *systems*.

B. *determine*:

1. whether water supply and waste disposal *systems* are public or private.
2. the quantity or quality of the water supply.

C. *operate* safety valves or shut-off valves.

7. ELECTRICAL SYSTEM

7.1 The *inspector* shall:

A. *inspect*:

1. the service drop.
2. the service entrance conductors, cables, and raceways.
3. the service equipment and main disconnects.
4. the service grounding.
5. the interior *components* of service panels and sub panels.
6. the conductors.
7. the overcurrent protection devices.
8. a *representative number* of *installed* lighting fixtures, switches, and receptacles.
9. the ground fault circuit interrupters.

B. *describe*:

1. the amperage and voltage rating of the service.
2. the location of main disconnect(s) and sub panels.
3. the *wiring methods*.

C. *report*:

1. on the presence of solid conductor aluminum branch circuit wiring.
2. on the absence of smoke detectors.

7.2 The *inspector* is NOT required to:

A. *inspect*:

1. the remote control devices unless the device is the only control device.
2. the *alarm systems* and *components*.
3. the low voltage wiring, *systems* and *components*.
4. the ancillary wiring, *systems* and *components* not a part of the primary electrical power distribution *system*.

B. measure amperage, voltage, or impedance.

8. HEATING SYSTEM

8.1 The *inspector* shall:

- A. *inspect*:
 - 1. the *installed* heating equipment.
 - 2. the vent *systems*, flues, and chimneys.
- B. *describe*:
 - 1. the energy source.
 - 2. the heating method by its distinguishing characteristics.

8.2 The *inspector* is NOT required to:

- A. *inspect*:
 - 1. the interiors of flues or chimneys which are not *readily accessible*.
 - 2. the heat exchanger.
 - 3. the humidifier or dehumidifier.
 - 4. the electronic air filter.
 - 5. the solar space heating *system*.
- B. determine heat supply adequacy or distribution balance.

9. AIR CONDITIONING SYSTEMS

9.1 The *inspector* shall:

- A. *inspect* the *installed* central and through-wall cooling equipment.
- B. *describe*:
 - 1. the energy source
 - 2. the cooling method by its distinguishing characteristics.

9.2 The *inspector* is NOT required to:

- A. *inspect* electronic air filters.
- B. determine cooling supply adequacy or distribution balance.

10. INTERIOR

10.1 The *inspector* shall:

- A. *inspect*:
 - 1. the walls, ceilings, and floors.
 - 2. the steps, stairways, and railings.
 - 3. the countertops and a *representative number* of *installed* cabinets.
 - 4. a *representative number* of doors and windows.
 - 5. garage doors and garage door operators.

10.2 The *inspector* is NOT required to:

- A. *inspect*:
 - 1. the paint, wallpaper, and other finish treatments.
 - 2. the carpeting.
 - 3. the window treatments.
 - 4. the central vacuum *systems*.
 - 5. the *household appliances*.
 - 6. *recreational facilities*.

11. INSULATION AND VENTILATION

11.1 The *inspector* shall:

- A. *inspect*:
 - 1. the insulation and vapor retarders in unfinished spaces.
 - 2. the ventilation of attics and foundation areas.
 - 3. the mechanical ventilation *systems*.
- B. *describe*:
 - 1. the insulation and vapor retarders in unfinished spaces.
 - 2. the absence of insulation in unfinished spaces at conditioned surfaces.

11.2 The *inspector* is NOT required to:

- A. disturb insulation or vapor retarders.
- B. determine indoor air quality.

12. FIREPLACES AND SOLID FUEL BURNING APPLIANCES

12.1 The *inspector* shall:

- A. *inspect*:
 - 1. the *system components*.
 - 2. the vent *systems*, flues, and chimneys.
- B. *describe*:
 - 1. the fireplaces and *solid fuel burning appliances*.
 - 2. the chimneys.

12.2 The *inspector* is NOT required to:

- A. *inspect*:
 - 1. the interiors of flues or chimneys.
 - 2. the firescreens and doors.
 - 3. the seals and gaskets.
 - 4. the automatic fuel feed devices.
 - 5. the mantels and fireplace surrounds.
 - 6. the combustion make-up air devices.
 - 7. the heat distribution assists whether gravity controlled or fan assisted.
- B. ignite or extinguish fires.
- C. determine draft characteristics.
- D. move fireplace inserts or stoves or firebox contents.

13. GENERAL LIMITATIONS AND EXCLUSIONS

13.1 General limitations:

- A. Inspections performed in accordance with these Standards of Practice
 - 1. are not *technically exhaustive*.
 - 2. will not identify concealed conditions or latent defects.

GENERAL LIMITATIONS AND EXCLUSIONS

13.1, continued

B. These Standards of Practice are applicable to buildings with four or fewer dwelling units and their garages or carports.

13.2 General exclusions:

A. The *inspector* is not required to perform any action or make any determination unless specifically stated in these Standards of Practice, except as may be required by lawful authority.

B. *Inspectors* are NOT required to determine:

1. the condition of *systems* or *components* which are not *readily accessible*.
2. the remaining life of any *system* or *component*.
3. the strength, adequacy, effectiveness, or efficiency of any *system* or *component*.
4. the causes of any condition or deficiency.
5. the methods, materials, or costs of corrections.
6. future conditions including, but not limited to, failure of *systems* and *components*.
7. the suitability of the property for any specialized use.
8. compliance with regulatory requirements (codes, regulations, laws, ordinances, etc.).
9. the market value of the property or its marketability.
10. the advisability of the purchase of the property.
11. the presence of potentially hazardous plants or animals including, but not limited to wood destroying organisms or diseases harmful to humans.
12. the presence of any environmental hazards including, but not limited to toxins, carcinogens, noise, and contaminants in soil, water, and air.
13. the effectiveness of any *system installed* or methods utilized to control or remove suspected hazardous substances.
14. the operating costs of *systems* or *components*.
15. the acoustical properties of any *system* or *component*.

C. *Inspectors* are NOT required to offer:

1. or perform any act or service contrary to law.
2. or perform *engineering services*.
3. or perform work in any trade or any professional service other than *home inspection*.
4. warranties or guarantees of any kind.

D. *Inspectors* are NOT required to operate:

1. any *system* or *component* which is *shut down* or otherwise inoperable.
2. any *system* or *component* which does not respond to *normal operating controls*.
3. shut-off valves.

E. *Inspectors* are NOT required to enter:

1. any area which will, in the opinion of the *inspector*, likely be dangerous to the *inspector* or other persons or damage the property or its *systems* or *components*.
2. the *under-floor crawl spaces* or attics which are not *readily accessible*.

F. *Inspectors* are NOT required to *inspect*:

1. underground items including, but not limited to underground storage tanks or other underground indications of their presence, whether abandoned or active.
2. *systems* or *components* which are not *installed*.
3. *decorative items*.
4. *systems* or *components* located in areas that are not entered in accordance with these Standards of Practice.
5. detached structures other than garages and carports.
6. common elements or common areas in multi-unit housing, such as condominium properties or cooperative housing.

G. *Inspectors* are NOT required to:

1. perform any procedure or operation which will, in the opinion of the *inspector*, likely be dangerous to the *inspector* or other persons or damage the property or its *systems* or *components*.
2. move suspended ceiling tiles, personal property, furniture, equipment, plants, soil, snow, ice, or debris.
3. *dismantle* any *system* or *component*, except as explicitly required by these Standards of Practice.

Glossary of Italicized Terms

<i>Alarm Systems</i>	such professional service or creative work as consultation, investigation, <i>evaluation</i> , planning, design and supervision of construction for the purpose of assuring compliance with the specifications and design, in conjunction with structures, buildings, machines, equipment, works or processes	<i>Readily Accessible</i> Available for visual inspection without requiring moving of personal property.
<i>Architectural Service</i>	Examination and analysis by a qualified professional, tradesman or service technician beyond that provided by the <i>home inspection</i>	<i>Readily Openable Access Panel</i> A panel provided for homeowner inspection and maintenance that is within normal reach, can be removed by one person, and is not sealed in place
<i>Component</i>	The process by which an <i>inspector</i> visually examines the <i>readily accessible systems</i> and <i>components</i> of a home and which describes those <i>systems</i> and <i>components</i> in accordance with these Standards of Practice	<i>Recreational Facilities</i> Spas, saunas, steam baths, swimming pools, exercise, entertainment, athletic, playground or other similar equipment and associated accessories
<i>Decorative</i>	Kitchen, laundry, and similar appliances, whether <i>installed</i> or free-standing	<i>Technically Exhaustive</i> An investigation that involves <i>dismantling</i> , the extensive use of advanced techniques, measurements, instruments, testing, calculations, or other means
<i>Describe</i>	To examine <i>readily accessible systems</i> and <i>components</i> of a building in accordance with these Standards of Practice, using <i>normal operating controls</i> and opening <i>readily openable access panels</i>	<i>Under-floor Crawl Space</i> The area within the confines of the foundation and between the ground and the underside of the floor
<i>Dismantle</i>	A person hired to examine any <i>system</i> or <i>component</i> of a building in accordance with these Standards of Practice	<i>Unsafe</i> A condition in a <i>readily accessible, installed</i> system or <i>component</i> which is judged to be a significant risk of personal injury during normal, day-to-day use. The risk may be due to damage, deterioration, improper installation or a change in accepted residential construction standards
<i>Engineering Service</i>	Attached such that removal requires tools	<i>Wiring Methods</i> Identification of electrical conductors or wires by their general type, such as "non-metallic sheathed cable" ("Romex"), "armored cable" ("bx") or "knob and tube", etc.
	Devices such as thermostats, switches or valves intended to be operated by the homeowner	



ASHI® Code of Ethics

For the Home Inspection Profession

Integrity, honesty, and objectivity are fundamental principles embodied by this Code, which sets forth obligations of ethical conduct for the home inspection profession. The Membership of ASHI has adopted this Code to provide high ethical standards to safeguard the public and the profession.

Inspectors shall comply with this Code, shall avoid association with any enterprise whose practices violate this Code, and shall strive to uphold, maintain, and improve the integrity, reputation, and practice of the home inspection profession.

1. **Inspectors shall avoid conflicts of interest or activities that compromise, or appear to compromise, professional independence, objectivity, or inspection integrity.**
 - A. Inspectors shall not inspect properties for compensation in which they have, or expect to have, a financial interest.
 - B. Inspectors shall not inspect properties under contingent arrangements whereby any compensation or future referrals are dependent on reported findings or on the sale of a property.
 - C. Inspectors shall not directly or indirectly compensate realty agents, or other parties having a financial interest in closing or settlement of real estate transactions, for the referral of inspections or for inclusion on a list of recommended inspectors, preferred providers, or similar arrangements.
 - D. Inspectors shall not receive compensation for an inspection from more than one party unless agreed to by the client(s).
 - E. Inspectors shall not accept compensation, directly or indirectly, for recommending contractors, services, or products to inspection clients or other parties having an interest in inspected properties.
 - F. Inspectors shall not repair, replace, or upgrade, for compensation, systems or components covered by ASHI Standards of Practice, for one year after the inspection.
2. **Inspectors shall act in good faith toward each client and other interested parties.**
 - A. Inspectors shall perform services and express opinions based on genuine conviction and only within their areas of education, training, or experience.
 - B. Inspectors shall be objective in their reporting and not knowingly understate or overstate the significance of reported conditions.
 - C. Inspectors shall not disclose inspection results or client information without client approval. Inspectors, at their discretion, may disclose observed immediate safety hazards to occupants exposed to such hazards, when feasible.
3. **Inspectors shall avoid activities that may harm the public, discredit themselves, or reduce public confidence in the profession.**
 - A. Advertising, marketing, and promotion of inspectors' services or qualifications shall not be fraudulent, false, deceptive, or misleading.
 - B. Inspectors shall report substantive and willful violations of this Code to the Society.

TEN THINGS TO ASK A HOME INSPECTOR

We all know that home inspection is important. However, the inspection is only as good as the inspector. Here are some questions that should be asked before hiring an inspector – and that every inspector should be prepared to answer.

1. Are you affiliated with a nationally recognized organization?
2. How much experience do you have running a home inspection firm?
3. Are you specifically qualified to do residential inspections?
4. Does your company offer to make repairs or improvements based on the inspection?

Careful, as a ‘Yes’ answer may prove a conflict of interest

5. How long will the inspection take? (2 to 3 hours is preferred)
6. What is included in the inspection specifically?

Take note of what isn’t included also

7. How much will the inspection cost?

Remember, cheaper isn’t always better

8. Will you supply a written report?

In not, look elsewhere

9. Do you recommend that the client attends the inspection?

This should be another ‘Yes’. The whole point of owning a home is learning about it

10. Do you take classes and participate in other continuing learning programs to make sure your expertise is up-to-date.